

**FORTUNE**  
TIRES

**FORTUNE**  
TIRES

# PRODUCT BROCHURE


PCR / LTR / VAN

# DRIVE FORWARD

Headquarter Office  
PRINX CHENGSHAN (SHANDONG) TIRE COMPANY LTD.  
98 Nanshan(N) Road, Rongcheng, China, 264300  
+86-631-7517777 | info@prinxchengshan.com | www.prinxchengshan.com

[www.fortunetire.com](http://www.fortunetire.com)




**PASSENGER CAR SIZE & PATTERN MATRIX**

| Rim Diameter | Aspect Ratio | Size       | FSR-701 | FSR-701RFT | FSR-802 | FSR-801     | CSR72 |
|--------------|--------------|------------|---------|------------|---------|-------------|-------|
| 12"          | 70           | 145/70R12  | -       | -          | -       | -           | 69Q   |
|              |              | 155/70R12  | -       | -          | -       | 73T         | -     |
|              |              | 165/70R12  | -       | -          | -       | 77T         | -     |
| 13"          | 60           | 175/60R13  | -       | -          | -       | 77T         | -     |
|              |              | 155/65R13  | -       | -          | -       | 73T         | -     |
|              | 65           | 165/65R13  | -       | -          | -       | 77T         | -     |
|              |              | 155/70R13  | -       | -          | -       | 75T         | -     |
|              | 70           | 165/70R13  | -       | -          | -       | 79T         | -     |
|              |              | 175/70R13  | -       | -          | -       | 82T         | -     |
|              |              | 185/70R13  | -       | -          | -       | 86T         | -     |
|              |              | 155/80R13  | -       | -          | -       | 79T         | -     |
|              |              | 165/80R13  | -       | -          | -       | 83T         | -     |
| 14"          | 60           | 185/60R14  | -       | -          | 82H     | 82H         | -     |
|              |              | 195/60R14  | -       | -          | -       | 86H         | -     |
|              |              | 205/60R14  | -       | -          | 88H     | -           | -     |
|              | 65           | 155/65R14  | -       | -          | -       | 75T         | -     |
|              |              | 165/65R14  | -       | -          | -       | 79T         | -     |
|              |              | 175/65R14  | -       | -          | 82H     | -           | -     |
|              |              | 185/65R14  | -       | -          | 86H     | -           | -     |
|              |              | 155/70R14  | -       | -          | -       | 77T         | -     |
|              | 70           | 165/70R14  | -       | -          | -       | 81T         | -     |
|              |              | 175/70R14  | -       | -          | 84H     | -           | -     |
|              |              | 185/70R14  | -       | -          | -       | 88H         | -     |
|              |              | 195/70R14  | -       | -          | -       | 91H         | -     |
|              |              | 195/50R15  | -       | -          | 82V     | -           | -     |
| 15"          | 55           | 185/55R15  | -       | -          | 82V     | -           | -     |
|              |              | 195/55R15  | -       | -          | 85V     | -           | -     |
|              |              | 185/60R15  | -       | -          | 84H     | 84H         | -     |
|              | 60           | 195/60R15  | -       | -          | 88H     | 88H         | -     |
|              |              | 205/60R15  | -       | -          | -       | 91H         | -     |
|              |              | 175/65R15  | -       | -          | 84V     | -           | -     |
|              |              | 185/65R15  | -       | -          | 88H     | -           | -     |
|              |              | 195/65R15  | -       | -          | 91H     | 91H /95H XL | -     |
|              | 65           | 205/65R15  | -       | -          | 94H     | -           | -     |
|              |              | 205/70R15  | -       | -          | -       | 96H         | -     |
|              | 50           | 195/50R16  | -       | -          | 88V XL  | -           | -     |
|              |              | 205/50R16  | -       | -          | 91V XL  | -           | -     |
|              |              | 195/55R16  | -       | -          | 87V     | -           | -     |
| 16"          | 55           | 205/55R16  | -       | -          | 91V     | 91H /94V XL | -     |
|              |              | 215/55R16  | 97V XL  | -          | 93V     | -           | -     |
|              |              | 225/55R16  | -       | -          | 95V     | -           | -     |
|              | 60           | 175/60R16  | -       | -          | 82H     | -           | -     |
|              |              | 195/60R16  | -       | -          | 89H     | -           | -     |
|              |              | 205/60R16  | -       | -          | 92V     | -           | -     |
|              |              | 215/60R16  | -       | -          | 95V     | -           | -     |
|              |              | 205/65R16  | -       | -          | 95V     | -           | -     |
| 17"          | 40           | 245/40ZR17 | 91W     | -          | -       | -           | -     |
|              |              | 205/45ZR17 | 88W XL  | -          | -       | -           | -     |
|              |              | 215/45ZR17 | 91Y XL  | -          | -       | -           | -     |
|              |              | 225/45ZR17 | 94Y XL  | -          | -       | -           | -     |
|              |              | 235/45ZR17 | 97W XL  | -          | -       | -           | -     |
|              |              |            |         |            |         |             |       |

Notes: \* under development

**PASSENGER CAR SIZE & PATTERN MATRIX**

| Rim Diameter | Aspect Ratio | Size       | FSR-701 | FSR-701RFT | FSR-802 | FSR-801 | CSR72 |
|--------------|--------------|------------|---------|------------|---------|---------|-------|
| 17"          | 45           | 245/45ZR17 | 99W XL  | -          | -       | -       | -     |
|              |              | 205/50R17  | -       | -          | 93V XL  | -       | -     |
|              |              | 205/50ZR17 | 93W XL  | -          | -       | -       | -     |
|              | 50           | 215/50R17  | -       | -          | 91V     | -       | -     |
|              |              | 215/50ZR17 | 95W XL  | -          | -       | -       | -     |
|              |              | 225/50R17  | -       | -          | 94V     | -       | -     |
|              |              | 225/50ZR17 | 98Y XL  | -          | -       | -       | -     |
|              |              | 205/55R17  | 95W XL  | -          | -       | -       | -     |
|              | 55           | 215/55R17  | -       | -          | 94V     | -       | -     |
|              |              | 215/55ZR17 | 98Y XL  | -          | -       | -       | -     |
|              |              | 225/55R17  | -       | -          | 101V XL | -       | -     |
|              |              | 225/55ZR17 | 101W XL | -          | -       | -       | -     |
| 18"          | 35           | 255/35ZR18 | 94Y XL  | -          | -       | -       | -     |
|              |              | 275/35ZR18 | 99W XL  | -          | -       | -       | -     |
|              |              | 225/40ZR18 | 92Y XL  | -          | -       | -       | -     |
|              | 40           | 235/40ZR18 | 95W XL  | -          | -       | -       | -     |
|              |              | 245/40ZR18 | 97W XL  | -          | -       | -       | -     |
|              |              | 255/40ZR18 | 99W XL  | -          | -       | -       | -     |
|              |              | 215/45ZR18 | 93W XL  | -          | -       | -       | -     |
|              | 45           | 225/45ZR18 | 91W     | 95W XL     | -       | -       | -     |
|              |              | 235/45ZR18 | 98W XL  | -          | -       | -       | -     |
|              |              | 245/45ZR18 | 100W XL | -          | -       | -       | -     |
|              |              | 255/45ZR18 | 103W XL | -          | -       | -       | -     |
|              | 55           | 255/55R18  | -       | *109V XL   | -       | -       | -     |
| 19"          | 30           | 255/30ZR19 | 91Y XL  | -          | -       | -       | -     |
|              |              | 225/35ZR19 | 88Y XL  | -          | -       | -       | -     |
|              |              | 235/35ZR19 | 91W XL  | -          | -       | -       | -     |
|              | 35           | 245/35ZR19 | 93W XL  | -          | -       | -       | -     |
|              |              | 255/35ZR19 | 96Y XL  | -          | -       | -       | -     |
|              |              | 275/35ZR19 | 100Y XL | *96W       | -       | -       | -     |
|              | 40           | 225/40ZR19 | 93Y XL  | -          | -       | -       | -     |
|              |              | 235/40ZR19 | 96Y XL  | -          | -       | -       | -     |
|              |              | 245/40ZR19 | 98W XL  | *98W XL    | -       | -       | -     |
|              |              | 255/40ZR19 | 100Y XL | -          | -       | -       | -     |
|              | 45           | 225/45ZR19 | 96Y XL  | -          | -       | -       | -     |
|              |              | 255/45ZR19 | 104W XL | -          | -       | -       | -     |
| 20"          | 30           | 255/50ZR19 | -       | *107W XL   | -       | -       | -     |
|              |              | 235/55R19  | -       | *101V      | -       | -       | -     |
|              |              | 235/30ZR20 | 88Y XL  | -          | -       | -       | -     |
|              | 35           | 275/30ZR20 | *97W XL | -          | -       | -       | -     |
|              |              | 245/35ZR20 | 95Y XL  | -          | -       | -       | -     |
|              |              | 255/35ZR20 | 97Y XL  | -          | -       | -       | -     |
|              |              | 275/35ZR20 | 102Y XL | -          | -       | -       | -     |
|              | 40           | 245/40ZR20 | 99Y XL  | -          | -       | -       | -     |
|              | 45           | 275/45ZR20 | 110V XL | -          | -       | -       | -     |
|              | 55           | 195/55R20  | 95V XL  | -          | -       | -       | -     |
|              | 21"          | 295/35ZR21 | 107Y XL | -          | -       | -       | -     |

Notes: \* under development

**SUV&4X4 SIZES & PATTERN MATRIX**

| Rim Diameter | Aspect Ratio | Size          | FSR-301 | FSR-301★ | FSR-302       | FSR-303 | MASPIRE M/T   |
|--------------|--------------|---------------|---------|----------|---------------|---------|---------------|
| 15"          | 60           | 205/60R15     | -       | -        | 91H           | -       | -             |
|              |              | 235/60R15     | 98T     | -        | -             | -       | -             |
|              | 65           | 205/65R15     | -       | -        | 94H           | -       | -             |
|              |              | 205/70R15     | -       | -        | 96H           | -       | -             |
|              | 70           | 215/70R15     | -       | -        | -             | -       | -             |
|              |              | 225/70R15     | -       | -        | -             | -       | -             |
|              |              | 255/70R15     | -       | -        | 108T          | -       | -             |
|              |              | 215/75R15     | -       | -        | 100T          | -       | -             |
|              | 75           | 235/75R15     | -       | -        | 109S XL       | -       | -             |
|              |              | LT235/75R15   | -       | -        | -             | -       | 104/101Q 6PR  |
|              |              | P225/75R15    | -       | -        | 102T          | -       | -             |
|              |              | 30X9.50R15LT  | -       | -        | 104Q 6PR      | -       | 104Q 6PR      |
| 16"          | 60           | 31X10.50R15LT | -       | -        | 109S 6PR      | -       | 109Q 6PR      |
|              |              | 205/60R16     | -       | -        | 92H           | -       | -             |
|              | 65           | 235/60R16     | -       | -        | -             | 100T    | -             |
|              |              | 215/65R16     | -       | 102H XL  | -             | 102V XL | -             |
|              | 70           | 255/65R16     | -       | -        | -             | -       | -             |
|              |              | 215/70R16     | -       | -        | 100H          | 100H    | -             |
|              |              | 225/70R16     | -       | -        | 103T          | 103T    | -             |
|              |              | 235/70R16     | -       | -        | 106T          | -       | -             |
|              |              | 245/70R16     | -       | -        | 111S XL       | 107T    | -             |
|              |              | 255/70R16     | -       | -        | -             | 111T    | -             |
|              |              | 265/70R16     | -       | -        | 112T          | -       | -             |
|              |              | 275/70R16     | -       | -        | 114T          | -       | -             |
|              | 75           | LT245/70R16   | -       | -        | -             | -       | 118/115Q 10PR |
|              |              | LT265/70R16   | -       | -        | -             | -       | 121/118Q 10PR |
|              |              | 225/75R16     | -       | -        | 108T XL       | -       | -             |
|              |              | 225/75R16LT   | -       | -        | 115/112Q 10PR | -       | -             |
|              |              | 245/75R16     | -       | -        | 111T          | -       | -             |
|              |              | 245/75R16LT   | -       | -        | 120/116Q 10PR | -       | -             |
|              |              | 265/75R16     | -       | -        | 116S          | -       | -             |
|              |              | LT225/75R16   | -       | -        | -             | -       | 115/112Q 10PR |
| 17"          | 85           | LT245/75R16   | -       | -        | -             | -       | 120/116Q 10PR |
|              |              | LT265/75R16   | -       | -        | -             | -       | 123/120Q 10PR |
|              |              | LT285/75R16   | -       | -        | -             | -       | 126/123Q 10PR |
|              |              | 235/85R16LT   | -       | -        | 120/116S 10PR | -       | -             |
|              |              | LT235/85R16   | -       | -        | -             | -       | 120/116Q 10PR |
|              |              | 205R16C       | -       | -        | 110/108S 8PR  | -       | -             |
|              | 55           | 235/55R17     | -       | -        | -             | 99H     | -             |
|              |              | 275/55R17     | -       | -        | -             | 109V    | -             |
|              | 60           | 215/60R17     | -       | -        | -             | 96H     | -             |
|              |              | 225/60R17     | -       | -        | 99H           | 99V     | -             |
|              |              | 235/60R17     | -       | -        | 102T          | 102V    | -             |
|              |              | 255/60R17     | -       | -        | -             | -       | -             |
|              | 65           | 265/60R17     | -       | -        | -             | -       | -             |
|              |              | 215/65R17     | -       | -        | -             | 103V XL | -             |
|              |              | 225/65R17     | -       | -        | 102H          | 102T    | -             |
|              |              | 235/65R17     | -       | -        | 108T XL       | 108V XL | -             |
|              |              | 245/65R17     | -       | -        | -             | 111H XL | -             |
|              |              | 255/65R17     | -       | -        | -             | 110H    | -             |
|              |              | 265/65R17     | -       | -        | 112T          | 112H    | -             |
|              |              | 275/65R17     | -       | -        | -             | -       | -             |

Notes: \* under development

**SUV&4X4 SIZES & PATTERN MATRIX**

| Rim Diameter | Aspect Ratio | Size          | FSR-301       | FSR-301★ | FSR-302       | FSR-303 | MASPIRE M/T   |
|--------------|--------------|---------------|---------------|----------|---------------|---------|---------------|
| 17"          | 65           | LT265/65R17   | -             | -        | -             | -       | 120/117Q 10PR |
|              | 70           | 245/70R17LT   | -             | -        | -             | -       | -             |
|              |              | 265/70R17     | -             | -        | 115T          | 115T    | -             |
|              |              | 265/70R17LT   | -             | -        | 121/118Q 10PR | -       | -             |
|              |              | LT265/70R17   | -             | -        | -             | -       | 121/118Q 10PR |
|              |              | LT285/70R17   | -             | -        | -             | -       | 121/118Q 10PR |
|              | 80           | LT235/80R17   | 120/117R 10PR | -        | -             | -       | -             |
| 18"          | 50           | 33X12.50R17LT | -             | -        | -             | -       | 120Q 10PR     |
|              |              | 215/50R18     | -             | -        | -             | 92W     | -             |
|              |              | 225/50R18     | -             | -        | -             | 99W XL  | -             |
|              |              | 235/50R18     | -             | -        | -             | 101W XL | -             |
|              | 55           | 215/55R18     | -             | -        | -             | 99V XL  | -             |
|              |              | 225/55R18     | -             | -        | -             | 98W     | -             |
|              |              | 235/55R18     | -             | -        | -             | 104V XL | -             |
|              |              | 255/55R18     | -             | -        | -             | 109V XL | -             |
|              | 60           | 225/60R18     | -             | -        | -             | 100V    | -             |
|              |              | 235/60R18     | -             | -        | -             | 107V XL | -             |
|              |              | 245/60R18     | -             | -        | -             | 109V XL | -             |
|              |              | 255/60R18     | -             | -        | -             | 112V XL | -             |
|              |              | 265/60R18     | -             | -        | 110T          | 110H    | -             |
|              | 65           | 235/65R18     | -             | -        | -             | 110H XL | -             |
|              | 100          | 33X12.50R18LT | -             | -        | -             | -       | 118Q 10PR     |
| 19"          | 45           | 245/45R19     | -             | -        | -             | 102Y XL | -             |
|              |              | 275/45R19     | -             | -        | -             | 108Y XL | -             |
|              |              | 285/45R19     | -             | -        | -             | 111V XL | -             |
|              | 50           | 235/50R19     | -             | -        | -             | 103W XL | -             |
|              |              | 255/50R19     | -             | -        | -             | 107V XL | -             |
|              |              | 265/50R19     | -             | -        | -             | 110Y XL | -             |
|              | 55           | 225/55R19     | -             | -        | -             | 103W XL | -             |
|              |              | 235/55R19     | -             | -        | -             | 105W XL | -             |
|              |              | 245/55R19     | -             | -        | -             | 103W    | -             |
|              |              | 255/55R19     | -             | -        | 111V XL       | 111V XL | -             |
| 20"          | 35           | 315/35R20     | -             | -        | -             | 110Y XL | -             |
|              | 40           | 275/40R20     | -             | -        | -             | 106V XL | -             |
|              | 45           | 245/45R20     | -             | -        | -             | 103W XL | -             |
|              |              | 255/45R20     | -             | -        | -             | 105Y XL | -             |
|              |              | 265/45R20     | -             | -        | -             | 108Y XL | -             |
|              | 50           | 245/50R20     | -             | -        | -             | 102W    | -             |
|              |              | 255/50R20     | -             | -        | -             | 109Y XL | -             |
|              |              | 265/50R20     | 111V XL       | -        | 111S XL       | -       | -             |
|              | 55           | 255/55R20     | -             | -        | -             | 110V XL | -             |
|              | 100          | 33X12.50R20LT | -             | -        | -             | -       | 114Q 10PR     |
|              |              | 35X12.50R20LT | -             | -        | -             | -       | 121Q 10PR     |
| 21"          | 30           | 325/30R21     | -             | -        | -             | 108Y XL | -             |
|              | 35           | 285/35R21     | -             | -        | -             | -       | -             |
|              | 40           | 255/40R21     | -             | -        | -             | 102Y XL | -             |
|              |              | 265/40R21     | -             | -        | -             | 101Y    | -             |
|              |              | 275/40R21     | -             | -        | -             | 107Y XL | -             |
|              |              | 285/40R21     | -             | -        | -             | 109Y XL | -             |
|              |              | 315/40R21     | -             | -        | -             | 111Y    | -             |
|              | 45           | 275/45R21     | -             | -        | -             | 110Y XL | -             |
| 22"          | 40           | 285/40R22     | -             | -        | -             | 110Y XL | -             |

Notes: \* under development

**LT/VAN SIZE & PATTERN MATRIX**

| Rim Diameter | Size        | CSR80      | FSR-102       | FSR-112       | FSR71                |
|--------------|-------------|------------|---------------|---------------|----------------------|
| 12"          | 145R12LT    | 86/84N 8PR | -             | -             | -                    |
|              | 155R12C     | -          | -             | -             | -                    |
|              | 5.00R12LT   | -          | -             | 83/81P 8PR    | -                    |
|              | 165/70R13C  | -          | -             | -             | 88/86T 6PR           |
| 13"          | 165R13C     | -          | -             | -             | 94/93Q 8PR           |
|              | 175R13C     | -          | -             | -             | 97/95Q 8PR           |
|              | 6.00R13LT   | -          | -             | 98/93L 10PR   | -                    |
|              | 165R14LT    | -          | 96/95R 8PR    | -             | -                    |
| 14"          | 175/65R14C  | -          | -             | -             | 90/88T 6PR           |
|              | 175/70R14C  | -          | -             | -             | 95/93T 6PR           |
|              | 175/75R14LT | -          | 99/96S 10PR   | -             | -                    |
|              | 185R14C     | -          | 102/100R 8PR  | -             | -                    |
|              | 195R14C     | -          | 106/104R 8PR  | -             | -                    |
|              | 6.00R14LT   | -          | -             | 100/95L 10PR  | -                    |
| 15"          | 195/70R15C  | -          | -             | -             | 104/102N 8PR         |
|              | 195R15C     | -          | 106/104R 8PR  | -             | -                    |
|              | 205/65R15C  | -          | -             | -             | 102/100T 6PR         |
|              | 205/70R15C  | -          | 106/104R 10PR | -             | 106/104R 8PR         |
|              | 215/65R15C  | -          | -             | -             | 104/102T 6PR         |
|              | 215/70R15C  | -          | 109/107R 10PR | -             | 109/107R 8PR         |
|              | 225/70R15C  | -          | -             | -             | 112/110R 8PR         |
|              | 225/75R15C  | -          | 116/114Q 8PR  | -             | -                    |
|              | 7.00R15LT   | -          | -             | 109/105Q 10PR | -                    |
|              | 175/75R16C  | -          | -             | -             | 101/99Q 8PR          |
| 16"          | 185/75R16C  | -          | -             | -             | 104/102R 8PR         |
|              | 195/65R16C  | -          | -             | -             | 104/102(100)R(T) 8PR |
|              | 195/75R16C  | -          | -             | -             | 107/105R 8PR         |
|              | 205/65R16C  | -          | -             | -             | 107/105(103)T 8PR    |
|              | 205/75R16C  | -          | -             | -             | 110/108Q 8PR         |
|              | 205R16C     | -          | -             | -             | 110/108S 8PR         |
|              | 215/60R16C  | -          | -             | -             | 103/101T 6PR         |
|              | 215/65R16C  | -          | -             | -             | 109/107(106)R(T) 8PR |
|              | 215/75R16C  | -          | -             | -             | 113/111Q 8PR         |
|              | 225/65R16C  | -          | -             | -             | 112/110R 8PR         |
|              | 225/75R16C  | -          | -             | -             | 121/120R 10PR        |
|              | 235/65R16C  | -          | -             | -             | 115/113R 8PR         |
|              | 6.50R16LT   | -          | -             | 107/102Q 10PR | -                    |
|              | 7.00R16LT   | -          | -             | 115/110Q 12PR | -                    |
| 17"          | 215/60R17C  | -          | -             | -             | 109/107T 8PR         |
|              | 225/55R17C  | -          | -             | -             | 109/107H 10PR        |

Notes: \* under development

**ALL SEASONS SIZE & PATTERN MATRIX**

| Rim Diameter | Aspect Ratio | Size      | FSR-401   |         |
|--------------|--------------|-----------|-----------|---------|
| 13"          | 70           | 155/70R13 | 75T       |         |
|              |              | 165/70R13 | 79T       |         |
|              |              | 175/70R13 | 82T       |         |
|              | 80           | 155/80R13 | 79T       |         |
| 14"          | 55           | 185/55R14 | 80H       |         |
|              | 60           | 165/60R14 | 79H XL    |         |
|              |              | 185/60R14 | 82H       |         |
|              | 65           | 155/65R14 | 75T       |         |
|              |              | 175/65R14 | 86H XL    |         |
|              |              | 165/65R14 | 79H       |         |
|              |              | 185/65R14 | 86H       |         |
|              | 70           | 165/70R14 | 81T       |         |
| 15"          | 50           | 195/50R15 | 86W XL    |         |
|              | 55           | 195/55R15 | 89V XL    |         |
|              |              | 185/55R15 | 86V XL    |         |
|              |              | 185/60R15 | 88H XL    |         |
|              | 60           | 195/60R15 | 88H       |         |
|              |              | 65        | 175/65R15 | 88H XL  |
|              |              |           | 185/65R15 | 88H     |
|              | 195/65R15    | 95V XL    |           |         |
| 16"          | 45           | 205/45R16 | 83W       |         |
|              | 55           | 195/55R16 | 91V XL    |         |
|              |              | 215/55R16 | 97V XL    |         |
|              |              | 205/55R16 | 94V XL    |         |
|              |              | 225/55R16 | 99V XL    |         |
|              |              | 175/60R16 | 82H       |         |
|              | 60           | 205/60R16 | 96V XL    |         |
|              |              | 215/60R16 | 99V XL    |         |
|              |              | 65        | 215/65R16 | 98H     |
|              | 17"          | 45        | 215/45R17 | 91W XL  |
| 225/45R17    |              |           | 94V XL    |         |
| 235/45R17    |              |           | 97W XL    |         |
| 50           |              | 205/50R17 | 93W XL    |         |
|              |              | 225/50R17 | 98V XL    |         |
| 55           |              | 225/55R17 | 101W XL   |         |
|              |              | 235/55R17 | 103W XL   |         |
| 60           |              | 215/60R17 | 100V XL   |         |
|              |              | 65        | 225/65R17 | 106V XL |
|              |              |           | 235/65R17 | 108V XL |
| 265/65R17    | 112H         |           |           |         |
| 18"          | 40           | 225/40R18 | 92W XL    |         |
|              | 45           | 225/45R18 | 95Y       |         |
|              | 50           | 215/50R18 | 92W       |         |
|              | 55           | 225/55R18 | 102V XL   |         |
|              |              | 235/55R18 | 104V XL   |         |
|              |              | 255/55R18 | 109W XL   |         |
|              | 60           | 235/60R18 | 107V XL   |         |
|              |              | 265/60R18 | 114V XL   |         |
| 19"          | 50           | 255/50R19 | 107V XL   |         |
|              | 55           | 235/55R19 | 105W XL   |         |
| 21"          | 40           | 295/40R21 | 111V XL   |         |

Notes: \* under development

**WINTER SIZE & PATTERN MATRIX**

| Rim Diameter | Aspect Ratio | Size       | SP-901     | SP-902       |
|--------------|--------------|------------|------------|--------------|
| 12"          | 70           | 145/70R12  | -          | 69S          |
|              |              | 155R12C    | -          | 88/86Q       |
| 13"          | 65           | 155/65R13  | -          | 73T          |
|              | 70           | 155/70R13  | -          | 75T          |
|              |              | 165/70R13  | -          | 79T          |
|              |              | 175/70R13  | -          | 86T          |
|              | 80           | 155/80R13  | -          | 79T          |
|              |              | 155R13C    | -          | 90/88Q 8PR   |
|              |              | 165R13C    | -          | 94/93Q 8PR   |
| 14"          | 55           | 185/55R14  | 80H        | -            |
|              | 60           | 165/60R14  | 75T        | -            |
|              |              | 185/60R14  | 86H        | -            |
|              | 65           | 155/65R14  | 75T        | -            |
|              |              | 165/65R14  | 79T        | -            |
|              |              | 175/65R14  | 86T XL     | -            |
|              |              | 185/65R14  | 86T        | -            |
|              | 70           | 165/70R14  | 85T XL     | -            |
|              |              | 175/70R14  | 88T XL     | -            |
|              |              | 175/70R14C | -          | 95/93Q 6PR   |
|              |              | 185/70R14  | 88T        | -            |
|              | 75           | 175/75R14C | -          | 99/98S 8PR   |
|              |              | 185R14C    | -          | 102/100Q 8PR |
|              |              | 195R14C    | -          | 106/104Q 8PR |
| 15"          | 50           | 195/50R15  | 82H        | -            |
|              | 55           | 185/55R15  | 86H XL     | -            |
|              |              | 195/55R15  | 85H        | -            |
|              | 60           | 185/60R15  | 88T XL     | -            |
|              |              | 195/60R15  | 88H        | -            |
|              |              | 165/65R15  | 81T        | -            |
|              |              | 175/65R15  | 88T XL     | -            |
|              | 65           | 185/65R15  | 88H        | -            |
|              |              | 195/65R15  | 91H        | -            |
|              |              | 205/65R15  | 94H        | -            |
|              |              | 205/65R15C | -          | 102/100T 6PR |
|              |              | 215/65R15C | -          | 104/102T 6PR |
|              |              | 195/70R15C | -          | 104/102Q 8PR |
|              | 70           | 205/70R15  | 96T        | -            |
|              |              | 205/70R15C | -          | 106/104R 8PR |
|              |              | 215/70R15C | -          | 109/107R 8PR |
|              |              | 225/70R15C | -          | 112/110Q 8PR |
|              | 75           | 235/75R15  | 109T XL    | -            |
|              |              | 185R14C    | -          | 103/102R 8PR |
|              |              | 195R14C    | -          | 106/104Q 8PR |
| 16"          | 45           | 195/45R16  | 84H XL     | -            |
|              |              | 205/45R16  | 87V XL     | -            |
|              | 50           | 195/50R16  | 88V XL     | -            |
|              |              | 205/50R16  | 91V XL     | -            |
|              | 55           | 195/55R16  | 87H        | -            |
|              |              | 205/55R16  | 91H/94H XL | -            |
|              |              | 215/55R16  | 97H XL     | -            |
|              |              | 225/55R16  | 99V XL     | -            |

Notes: \* under development

**WINTER SIZE & PATTERN MATRIX**

| Rim Diameter | Aspect Ratio | Size       | SP-901     | SP-902               |
|--------------|--------------|------------|------------|----------------------|
| 16"          | 60           | 175/60R16  | 82H        | -                    |
|              |              | 195/60R16  | 89H        | -                    |
|              |              | 195/60R16C | -          | 99/97T 6PR           |
|              |              | 205/60R16  | 92H/96H XL | -                    |
|              |              | 215/60R16  | 91H XL     | -                    |
|              |              | 215/60R16C | -          | 103/101T 6PR         |
|              | 65           | 235/60R16  | 100H XL    | -                    |
|              |              | 195/65R16C | -          | 104/102 (100) T 8PR  |
|              |              | 205/65R16C | -          | 107/105 (103) T 8PR  |
|              |              | 215/65R16  | 98H        | -                    |
|              |              | 215/65R16C | -          | 109/107 (106) RT 8PR |
|              |              | 225/65R16C | -          | 112/110R 8PR         |
|              | 70           | 235/65R16C | -          | 115/113R 8PR         |
|              |              | 215/70R16  | 100T       | -                    |
|              |              | 225/70R16  | 103H       | -                    |
|              |              | 235/70R16  | 106T       | -                    |
|              |              | 245/70R16  | 107T       | -                    |
|              |              | 255/70R16  | *103H      | -                    |
|              | 75           | 265/70R16  | 112T       | -                    |
|              |              | 185/75R16C | -          | 104/102R 8PR         |
|              |              | 195/75R16C | -          | 107/105R 8PR         |
|              |              | 205/75R16C | -          | 110/108Q 8PR         |
|              |              | 215/75R16C | -          | 116/114N 10PR        |
|              |              | 225/75R16C | -          | 121/120R 10PR        |
| 17"          | 45           | 205/45R17  | 88V XL     | -                    |
|              |              | 215/45R17  | 91V XL     | -                    |
|              |              | 225/45R17  | 94V XL     | -                    |
|              |              | 235/45R17  | 97V XL     | -                    |
|              |              | 245/45R17  | 99V XL     | -                    |
|              | 50           | 205/50R17  | 93V XL     | -                    |
|              |              | 215/50R17  | 91H        | -                    |
|              |              | 225/50R17  | 98V XL     | -                    |
|              | 55           | 205/55R17  | 95H XL     | -                    |
|              |              | 215/55R17  | 94H XL     | -                    |
|              |              | 225/55R17  | 101V XL    | -                    |
|              |              | 225/55R17C | -          | 109/107H 10PR        |
|              | 60           | 235/55R17  | 103V XL    | -                    |
|              |              | 215/60R17  | 96H        | -                    |
|              |              | 215/60R17C | -          | 109/107T 8PR         |
|              |              | 225/60R17  | 99H        | -                    |
|              |              | 235/60R17  | 102V       | -                    |
|              | 65           | 215/65R17  | 99H        | -                    |
|              |              | 225/65R17  | 102H       | -                    |
|              |              | 235/65R17  | 108V XL    | -                    |
|              |              | 245/65R17  | 111H XL    | -                    |
|              |              | 265/65R17  | 116H XL    | -                    |
|              | 70           | 245/70R17  | *110H      | -                    |
| 18"          | 40           | 225/40R18  | 92V XL     | -                    |
|              |              | 235/40R18  | 95V XL     | -                    |
|              |              | 245/40R18  | 97V XL     | -                    |
|              |              | 255/40R18  | 99H XL     | -                    |

Notes: \* under development

**WINTER SIZE & PATTERN MATRIX**

| Rim Diameter | Aspect Ratio | Size      | SP-901   | SP-902 |
|--------------|--------------|-----------|----------|--------|
| 18"          | 45           | 225/45R18 | 95W XL   | -      |
|              |              | 235/45R18 | 98V XL   | -      |
|              |              | 245/45R18 | 100V XL  | -      |
|              |              | 255/45R18 | 103W XL  | -      |
|              | 50           | 215/50R18 | 92W      | -      |
|              |              | 225/50R18 | 99V      | -      |
|              |              | 235/50R18 | 101V XL  | -      |
|              | 55           | 215/55R18 | 95H      | -      |
|              |              | 225/55R18 | 102V XL  | -      |
|              |              | 235/55R18 | 104V XL  | -      |
|              |              | 255/55R18 | 109V XL  | -      |
| 19"          | 60           | 225/60R18 | 100H     | -      |
|              |              | 235/60R18 | 107V     | -      |
|              |              | 265/60R18 | 114H XL  | -      |
|              |              | 285/60R18 | *116H    | -      |
|              | 65           | 235/65R18 | 110H     | -      |
|              |              | 225/35R19 | 88W XL   | -      |
|              | 35           | 235/35R19 | 91W XL   | -      |
|              |              | 255/35R19 | 96V XL   | -      |
|              | 40           | 235/40R19 | 99V XL   | -      |
|              |              | 245/40R19 | 98W XL   | -      |
|              |              | 255/40R19 | 104V XL  | -      |
| 20"          | 45           | 225/45R19 | 96V XL   | -      |
|              |              | 235/45R19 | 99V XL   | -      |
|              |              | 245/55R19 | 102W XL  | -      |
|              |              | 255/45R19 | 104V XL  | -      |
|              | 50           | 235/50R19 | 103V XL  | -      |
|              |              | 255/50R19 | 107V XL  | -      |
|              | 55           | 225/55R19 | 103V XL  | -      |
|              |              | 235/55R19 | 105V XL  | -      |
|              |              | 245/55R19 | *103H    | -      |
|              |              | 255/55R19 | 111V XL  | -      |
| 21"          | 40           | 275/40R20 | 106W XL  | -      |
|              | 45           | 275/45R20 | 110W XL  | -      |
|              | 50           | 255/50R20 | *109H XL | -      |
|              | 55           | 235/55R20 | *105H XL | -      |
| 21"          | 35           | 295/35R21 | 107V     | -      |

Notes: \* under development

# PASSENGER CAR

**FSR-701**

UHP



**FSR-701 RFT**

UHP



**FSR-802**

HP




**FSR-801**

STD



# FSR-701



Excellent  
handling



High speed  
performance



Good choice for medium & high  
grade car, sports car, sports SUV



- The pattern structure design provides driving safety.
- Effective noise control provides quality ride experience everyday.

| Rim Diameter | Size       | Load Type | LI  | SS | Rim Diameter | Size       | Load Type | LI  | SS |
|--------------|------------|-----------|-----|----|--------------|------------|-----------|-----|----|
| 16           | 215/55R16  | XL        | 97  | V  | 19           | 255/30ZR19 | XL        | 91  | Y  |
|              | 205/55R17  | XL        | 95  | W  |              | 225/45ZR19 | XL        | 96  | Y  |
|              | 215/55ZR17 | XL        | 98  | Y  |              | 255/45ZR19 | XL        | 104 | W  |
|              | 225/55ZR17 | XL        | 101 | W  |              | 225/40ZR19 | XL        | 93  | Y  |
|              | 205/50ZR17 | XL        | 93  | W  |              | 235/40ZR19 | XL        | 96  | Y  |
| 17           | 215/50ZR17 | XL        | 95  | W  |              | 245/40ZR19 | XL        | 98  | W  |
|              | 225/50ZR17 | XL        | 98  | Y  |              | 255/40ZR19 | XL        | 100 | Y  |
|              | 205/45ZR17 | XL        | 88  | W  |              | 225/35ZR19 | XL        | 88  | Y  |
|              | 215/45ZR17 | XL        | 91  | Y  |              | 235/35ZR19 | XL        | 91  | W  |
|              | 225/45ZR17 | XL        | 94  | Y  |              | 245/35ZR19 | XL        | 93  | W  |
| 18           | 235/45ZR17 | XL        | 97  | W  |              | 255/35ZR19 | XL        | 96  | Y  |
|              | 245/45ZR17 | XL        | 99  | W  |              | 275/35ZR19 | XL        | 100 | Y  |
|              | 245/40ZR17 | -         | 91  | W  | 20           | 235/30ZR20 | XL        | 88  | Y  |
|              | 215/45ZR18 | XL        | 93  | W  |              | 195/55R20  | XL        | 95  | V  |
|              | 225/45ZR18 | -         | 91  | W  |              | 275/45R20  | XL        | 110 | V  |
| 19           | 235/45ZR18 | XL        | 98  | W  |              | 245/40ZR20 | XL        | 99  | Y  |
|              | 245/45ZR18 | XL        | 100 | W  |              | 245/35ZR20 | XL        | 95  | Y  |
|              | 255/45ZR18 | XL        | 103 | W  |              | 255/35ZR20 | XL        | 97  | Y  |
|              | 225/40ZR18 | XL        | 92  | Y  |              | 275/35ZR20 | XL        | 102 | Y  |
|              | 235/40ZR18 | XL        | 95  | W  | 21           | 295/35ZR21 | XL        | 107 | Y  |
| 20           | 245/40ZR18 | XL        | 97  | W  |              |            |           |     |    |
|              | 255/40ZR18 | XL        | 99  | W  |              |            |           |     |    |
|              | 255/35ZR18 | XL        | 94  | Y  |              |            |           |     |    |
|              | 275/35ZR18 | XL        | 99  | W  |              |            |           |     |    |

# FSR-701 RFT



- Tire strength and low heat generation performance are improved remarkably by replacing the traditional polyester fiber with modified rayon.

| Rim Diameter | Size       | Load Type | LI  | SS | Remark     |
|--------------|------------|-----------|-----|----|------------|
| 18           | 255/55R18  | XL        | 109 | V  | Developing |
|              | 245/45ZR18 | XL        | 100 | W  | -          |
| 19           | 235/55R19  | -         | 101 | V  | Developing |
|              | 255/50ZR19 | XL        | 107 | W  | Developing |
|              | 245/40ZR19 | XL        | 98  | W  | Developing |
|              | 275/35ZR19 | -         | 96  | W  | Developing |



Excellent handling



High speed performance



Good choice for medium & high grade car, sports car, sports SUV

- A new self-supporting reinforced material is added at SW and bead area to "prop up" the car body to continue driving.

# FSR-801



- Good fuel economy, environment friendly.
- Wear resistant compound and optimized tread groove design provide longer tire mileage.

| Rim Diameter | Size      | Load Type | LI | SS |
|--------------|-----------|-----------|----|----|
| 12           | 155/70R12 | -         | 73 | T  |
|              | 165/70R12 | -         | 77 | T  |
|              | 155/80R13 | -         | 79 | T  |
| 13           | 165/80R13 | -         | 83 | T  |
|              | 155/70R13 | -         | 75 | T  |
|              | 165/70R13 | -         | 79 | T  |
|              | 175/70R13 | -         | 82 | T  |
|              | 185/70R13 | -         | 86 | T  |
|              | 155/65R13 | -         | 73 | T  |
|              | 165/65R13 | -         | 77 | T  |
| 14           | 175/60R13 | -         | 77 | T  |
|              | 155/70R14 | -         | 77 | T  |
|              | 165/70R14 | -         | 81 | T  |
|              | 185/70R14 | -         | 88 | H  |
|              | 195/70R14 | -         | 91 | H  |
|              | 155/65R14 | -         | 75 | T  |
|              | 165/65R14 | -         | 79 | T  |
|              | 185/60R14 | -         | 82 | H  |
|              | 195/60R14 | -         | 86 | H  |
|              | 205/70R15 | -         | 96 | H  |
| 15           | 195/65R15 | -         | 91 | H  |
|              | 195/65R15 | XL        | 95 | H  |
|              | 205/65R15 | -         | 94 | H  |
|              | 185/60R15 | -         | 84 | H  |
|              | 195/60R15 | -         | 88 | H  |
| 16           | 205/55R16 | -         | 91 | H  |
|              | 205/55R16 | XL        | 94 | V  |



Fuel economy



Comfort



Ordinary family car tires

# FSR-802



Quiet  
ride



Dependable  
wet grip



A tire engineered for  
family car



- More comfortable and quiet driving experience.
- Provide better protection with driving
- New compound cooperate with new pattern design bring new experience

| Rim Diameter | Size      | Load Type | LI | SS | Rim Diameter | Size      | Load Type | LI  | SS |
|--------------|-----------|-----------|----|----|--------------|-----------|-----------|-----|----|
| 14           | 175/70R14 | -         | 84 | H  | 16           | 205/50R16 | XL        | 91  | V  |
|              | 175/65R14 | -         | 82 | H  |              | 215/55R17 | -         | 94  | V  |
|              | 185/65R14 | -         | 86 | H  | 17           | 225/55R17 | XL        | 101 | V  |
|              | 185/60R14 | -         | 82 | H  |              | 205/50R17 | XL        | 93  | V  |
|              | 205/60R14 | -         | 88 | H  |              | 215/50R17 | -         | 91  | V  |
| 15           | 175/65R15 | -         | 84 | V  |              | 225/50R17 | -         | 94  | V  |
|              | 185/65R15 | -         | 88 | H  | 16           | 205/65R16 | -         | 95  | V  |
|              | 195/65R15 | -         | 91 | H  |              | 175/60R16 | -         | 82  | H  |
|              | 205/65R15 | -         | 94 | H  |              | 195/60R16 | -         | 89  | H  |
|              | 185/60R15 | -         | 84 | H  |              | 205/60R16 | -         | 92  | V  |
|              | 195/60R15 | -         | 88 | H  |              | 215/60R16 | -         | 95  | V  |
|              | 185/55R15 | -         | 82 | V  |              | 195/55R16 | -         | 87  | V  |
|              | 195/55R15 | -         | 85 | V  |              | 205/55R16 | -         | 91  | V  |
|              | 195/50R15 | -         | 82 | V  |              | 215/55R16 | -         | 93  | V  |
|              | 205/65R16 | -         | 95 | V  |              | 225/55R16 | -         | 95  | V  |
| 16           | 175/60R16 | -         | 82 | H  |              | 195/50R16 | XL        | 88  | V  |

## SUV&4X4

**FSR-303**

H/P



**FSR-301(★)**

H/T



**FSR-302**

A/T



**MASPIRE M/T**

M/T



# FSR-303



| Rim Diameter | Size      | LoadType | LI  | SS |
|--------------|-----------|----------|-----|----|
| 16           | 215/70R16 | -        | 100 | H  |
|              | 225/70R16 | -        | 103 | T  |
|              | 245/70R16 | -        | 107 | T  |
|              | 255/70R16 | -        | 111 | T  |
|              | 215/65R16 | XL       | 102 | V  |
|              | 235/60R16 | -        | 100 | T  |
| 17           | 265/70R17 | -        | 115 | T  |
|              | 225/65R17 | -        | 102 | T  |
|              | 235/65R17 | XL       | 108 | V  |
|              | 245/65R17 | XL       | 111 | H  |
|              | 255/65R17 | -        | 110 | H  |
|              | 265/65R17 | -        | 112 | H  |
|              | 215/65R17 | XL       | 103 | V  |
|              | 215/60R17 | -        | 96  | H  |
|              | 225/60R17 | -        | 99  | V  |
|              | 235/60R17 | -        | 102 | V  |
| 18           | 235/55R17 | -        | 99  | H  |
|              | 275/55R17 | -        | 109 | V  |
|              | 235/65R18 | XL       | 110 | H  |
|              | 225/60R18 | -        | 100 | V  |
|              | 235/60R18 | XL       | 107 | V  |
|              | 245/60R18 | XL       | 109 | V  |
|              | 255/60R18 | XL       | 112 | V  |
|              | 265/60R18 | -        | 110 | H  |
|              | 215/55R18 | XL       | 99  | V  |
|              | 225/55R18 | -        | 98  | W  |
|              | 235/55R18 | XL       | 104 | V  |
|              | 255/55R18 | XL       | 109 | V  |
|              | 215/50R18 | -        | 92  | W  |
|              | 225/50R18 | XL       | 99  | W  |
| 19           | 235/50R18 | XL       | 101 | W  |
|              | 235/55R19 | XL       | 105 | W  |
|              | 255/55R19 | XL       | 111 | V  |
|              | 245/55R19 | -        | 103 | W  |
|              | 225/55R19 | XL       | 103 | W  |
|              | 255/50R19 | XL       | 107 | V  |
|              | 265/50R19 | XL       | 110 | Y  |
|              | 235/50R19 | XL       | 103 | W  |
|              | 245/45R19 | XL       | 102 | Y  |
|              | 275/45R19 | XL       | 108 | Y  |
| 20           | 285/45R19 | XL       | 111 | V  |
|              | 255/55R20 | XL       | 110 | V  |
|              | 245/50R20 | -        | 102 | W  |
|              | 255/50R20 | XL       | 109 | Y  |
|              | 255/45R20 | XL       | 105 | Y  |
|              | 245/45R20 | XL       | 103 | W  |
|              | 265/45R20 | XL       | 108 | Y  |
|              | 275/40R20 | XL       | 106 | V  |
| 21           | 315/35R20 | XL       | 110 | Y  |
|              | 325/30R21 | XL       | 108 | Y  |
|              | 275/45R21 | XL       | 110 | Y  |
|              | 275/40R21 | XL       | 107 | Y  |
|              | 255/40R21 | XL       | 102 | Y  |
|              | 285/40R21 | XL       | 109 | Y  |
|              | 315/40R21 | -        | 111 | Y  |
| 22           | 265/40R21 | -        | 101 | Y  |
|              | 285/40R22 | XL       | 110 | Y  |

Excellent handling
 Comfortable with low noise
 Anti-hydroplaning



SUV

- Precise handling provides excellent driving experience.
- The pattern design effectively improves driving safety.
- Ultri-pitch design controls noise effectively and makes driving more comfortable.

# FSR-301(★)



- Computer optimized crisscross pattern provides better water dispersion in wet conditions.
- Optimized lug groove, provides excellent grip on wet road with good self-cleaning performance.

| Rim Diameter | Size          | Load Type | LI      | SS |
|--------------|---------------|-----------|---------|----|
| 15           | 235/60R15     | -         | 98      | T  |
| 16           | 215/65R16     | XL        | 102     | H  |
| 17           | LT235/80R17LT | 10PR      | 120/117 | R  |
| 20           | 265/50R20     | XL        | 111     | V  |

Excellent handling
 Comfortable with low noise
 Anti-hydroplaning



SUV

- Optimized lug and sipes design provides excellent grip, thus makes the traveling comfort with lower noise and better traction.

# FSR-302



# MASPIRE M/T



- The overall pattern design keeps the driving safety under various conditions and increases tread life at the same time.

| Rim Diameter | Size          | LoadType | PR   | LI      | SS |
|--------------|---------------|----------|------|---------|----|
| 15           | 215/75R15     | -        | -    | 100     | T  |
|              | P225/75R15    | -        | -    | 102     | T  |
|              | 235/75R15     | XL       | -    | 109     | S  |
|              | 205/70R15     | -        | -    | 96      | H  |
|              | 255/70R15     | -        | -    | 108     | T  |
|              | 205/65R15     | -        | -    | 94      | H  |
|              | 205/60R15     | -        | -    | 91      | H  |
|              | 30X9.50R15LT  | -        | 6PR  | 104     | Q  |
| 16           | 31X10.50R15LT | -        | 6PR  | 109     | S  |
|              | 225/75R16     | XL       | -    | 108     | T  |
|              | 245/75R16     | -        | -    | 111     | T  |
|              | 265/75R16     | -        | -    | 116     | S  |
|              | 215/70R16     | -        | -    | 100     | H  |
|              | 225/70R16     | -        | -    | 103     | T  |
|              | 235/70R16     | -        | -    | 106     | T  |
|              | 245/70R16     | XL       | -    | 111     | S  |
|              | 265/70R16     | -        | -    | 112     | T  |
|              | 275/70R16     | -        | -    | 114     | T  |
|              | 205/60R16     | -        | -    | 92      | H  |
|              | 205R16C       | -        | 8PR  | 110/108 | S  |
| 17           | 225/75R16LT   | -        | 10PR | 115/112 | Q  |
|              | 245/75R16LT   | -        | 10PR | 120/116 | Q  |
|              | 265/70R17     | -        | -    | 115     | T  |
|              | 225/65R17     | -        | -    | 102     | H  |
|              | 235/65R17     | XL       | -    | 108     | T  |
|              | 265/65R17     | -        | -    | 112     | T  |
|              | 225/60R17     | -        | -    | 99      | H  |
|              | 235/60R17     | -        | -    | 102     | T  |
|              | 265/70R17LT   | -        | 10PR | 121/118 | Q  |
|              | 265/60R18     | -        | -    | 110     | T  |
| 18           | 255/55R19     | XL       | -    | 111     | V  |
| 20           | 265/50R20     | XL       | -    | 111     | S  |



Off road traction



Reliable safety



SUV

- Block pattern design brings excellent off road traction.
- 3D structure design of the shoulder provides stable and effective escape capability in all road conditions.
- Optimized tread depth combined with high wear resistant tread compound brings ultra high mileage.



Excellent grip



Durability



Traction



SUV

- Simulation of sharp tooth pattern block and zigzag groove design, even though contact with bad road, it also provides excellent grip and traction ability.
- Excellent stone and mud discharge ability, greatly improve the tire life.
- The reinforced shoulder pattern block and 3D sidewall design can pass freely under various road conditions.
- The design of 3D shoulder can effectively protect the sidewall.

| Rim Diameter | Size          | PR   | LI      | SS | Remark |
|--------------|---------------|------|---------|----|--------|
| 15           | LT235/75R15   | 6PR  | 104/101 | Q  | OWL    |
|              | 30X9.50R15LT  | 6PR  | 104     | Q  | OWL    |
|              | 31X10.50R15LT | 6PR  | 109     | Q  | OWL    |
| 16           | LT225/75R16   | 10PR | 115/112 | Q  | -      |
|              | LT235/85R16   | 10PR | 120/116 | Q  | -      |
|              | LT245/70R16   | 10PR | 118/115 | Q  | -      |
|              | LT245/75R16   | 10PR | 120/116 | Q  | -      |
|              | LT265/75R16   | 10PR | 123/120 | Q  | OWL    |
|              | LT265/70R16   | 10PR | 121/118 | Q  | -      |
|              | LT285/75R16   | 10PR | 126/123 | Q  | -      |
| 17           | LT265/70R17   | 10PR | 121/118 | Q  | -      |
|              | LT265/65R17   | 10PR | 120/117 | Q  | -      |
|              | LT285/70R17   | 10PR | 121/118 | Q  | -      |
|              | 33X12.50R17LT | 10PR | 120     | Q  | -      |
| 18           | 33X12.50R18LT | 10PR | 118     | Q  | -      |
| 20           | 35X12.50R20LT | 10PR | 121     | Q  | -      |
|              | 33X12.50R20LT | 10PR | 114     | Q  | -      |

Owl stands for white side wall

## VAN&LT

**FSR-102**

**VAN**



**FSR71**

**VAN**



**FSR-112**

**LT**



# FSR-102



Good load



Long wear



Good wet grip



VAN



- Mature pattern and formula design, improve tread life and mileage
- With the greatly improved grip, driving becomes safer.
- The high strength skeleton material enhances the overall rigidity of the tire to meet the load bearing requirements

| Rim Diameter | Size        | PR   | LI      | SS |
|--------------|-------------|------|---------|----|
| 14           | 165R14LT    | 8PR  | 96/95   | R  |
|              | 175/75R14LT | 10PR | 99/96   | S  |
|              | 185R14C     | 8PR  | 102/100 | R  |
|              | 195R14C     | 8PR  | 106/104 | R  |
| 15           | 195R15C     | 8PR  | 106/104 | R  |
|              | 205/70R15C  | 10PR | 106/104 | R  |
|              | 215/70R15C  | 10PR | 109/107 | R  |
|              | 225/75R15C  | 8PR  | 116/114 | Q  |

# FSR71



# FSR-112



| Rim Diameter | Size       | PR   | LI           | SS   |
|--------------|------------|------|--------------|------|
| 13           | 165R13C    | 8PR  | 94/93        | Q    |
|              | 165/70R13C | 6PR  | 88/86        | T    |
|              | 175R13C    | 8PR  | 97/95        | Q    |
| 14           | 175/70R14C | 6PR  | 95/93        | T    |
|              | 175/65R14C | 6PR  | 90/88        | T    |
| 15           | 195/70R15C | 8PR  | 104/102      | N    |
|              | 205/70R15C | 8PR  | 106/104      | R    |
|              | 205/65R15C | 6PR  | 102/100      | T    |
|              | 215/70R15C | 8PR  | 109/107      | R    |
|              | 215/65R15C | 6PR  | 104/102      | T    |
|              | 225/70R15C | 8PR  | 112/110      | R    |
|              | 175/75R16C | 8PR  | 101/99       | Q    |
| 16           | 185/75R16C | 8PR  | 104/102      | R    |
|              | 195/75R16C | 8PR  | 107/105      | R    |
|              | 195/65R16C | 8PR  | 104/102(100) | R(T) |
|              | 205/75R16C | 8PR  | 110/108      | Q    |
|              | 205R16C    | 8PR  | 110/108      | S    |
|              | 205/65R16C | 8PR  | 107/105(103) | T    |
|              | 215/75R16C | 8PR  | 113/111      | Q    |
|              | 215/60R16C | 6PR  | 103/101      | T    |
|              | 215/65R16C | 8PR  | 109/107(106) | R(T) |
|              | 225/65R16C | 8PR  | 112/110      | R    |
| 17           | 225/75R16C | 10PR | 121/120      | R    |
|              | 235/65R16C | 8PR  | 115/113      | R    |
|              | 215/60R17C | 8PR  | 109/107      | T    |
|              | 225/55R17C | 10PR | 109/107      | H    |



All terrain commercial LT, van, Pick-up



| Size      | PR   | LI      | SS |
|-----------|------|---------|----|
| 5.00R12LT | 8PR  | 83/81   | P  |
| 6.00R13LT | 10PR | 98/93   | L  |
| 6.00R14LT | 10PR | 100/95  | L  |
| 6.50R16LT | 10PR | 107/102 | Q  |
| 7.00R15LT | 10PR | 109/105 | Q  |
| 7.00R16LT | 12PR | 115/110 | Q  |

All terrain commercial light truck, small & medium-sized bus

# ALL SEASONS

**FSR-401**



# FitClima FSR-401



Good  
handling



Wet  
grip



Comfort



For all weather conditions



- Unique tread compound provides reliable traction in all weather conditions.
- Massive lateral grooves combined with open shoulder disperse water quickly and prevent snow buildup.
- 3D siping cuts into water film deeply and enhances wet grip.
- "V" shaped pattern along with dense 3D sipes delivers improved handling and grip in turns.

| Rim Diameter | Size      | Load Type | LI | SS |
|--------------|-----------|-----------|----|----|
| 13           | 155/70R13 | -         | 75 | T  |
|              | 155/80R13 | -         | 79 | T  |
|              | 165/70R13 | -         | 79 | T  |
|              | 175/70R13 | -         | 82 | T  |
| 14           | 155/65R14 | -         | 75 | T  |
|              | 165/60R14 | XL        | 79 | H  |
|              | 165/65R14 | -         | 79 | H  |
|              | 165/70R14 | -         | 81 | T  |
|              | 175/65R14 | XL        | 86 | H  |
|              | 185/55R14 | -         | 80 | H  |
|              | 185/60R14 | -         | 82 | H  |
|              | 185/65R14 | -         | 86 | H  |
| 15           | 175/65R15 | XL        | 88 | H  |
|              | 185/55R15 | XL        | 86 | V  |
|              | 185/60R15 | XL        | 88 | H  |
|              | 185/65R15 | -         | 88 | H  |
|              | 195/50R15 | XL        | 86 | W  |
|              | 195/55R15 | XL        | 89 | V  |
|              | 195/60R15 | -         | 88 | H  |
|              | 195/65R15 | XL        | 95 | V  |
| 16           | 175/60R16 | -         | 82 | H  |
|              | 195/55R16 | XL        | 91 | V  |
|              | 205/45R16 | XL        | 87 | W  |
|              | 205/55R16 | XL        | 94 | V  |
|              | 205/60R16 | XL        | 96 | V  |

| Rim Diameter | Size      | Load Type | LI  | SS |
|--------------|-----------|-----------|-----|----|
| 16           | 215/55R16 | XL        | 97  | V  |
|              | 215/60R16 | XL        | 99  | V  |
|              | 215/65R16 | -         | 98  | H  |
|              | 225/55R16 | XL        | 99  | V  |
| 17           | 205/50R17 | XL        | 93  | W  |
|              | 215/45R17 | XL        | 91  | W  |
|              | 215/60R17 | XL        | 100 | V  |
|              | 225/45R17 | XL        | 94  | V  |
|              | 225/50R17 | XL        | 98  | W  |
|              | 225/55R17 | XL        | 101 | W  |
|              | 225/65R17 | XL        | 106 | V  |
|              | 235/45R17 | XL        | 97  | W  |
|              | 235/55R17 | XL        | 103 | W  |
|              | 235/65R17 | XL        | 108 | V  |
| 18           | 265/65R17 | -         | 112 | H  |
|              | 215/50R18 | -         | 92  | W  |
|              | 225/40R18 | XL        | 92  | W  |
|              | 225/45R18 | XL        | 95  | Y  |
|              | 225/55R18 | XL        | 102 | V  |
|              | 235/55R18 | XL        | 104 | V  |
|              | 235/60R18 | XL        | 107 | V  |
|              | 255/55R18 | XL        | 109 | W  |
|              | 265/60R18 | XL        | 114 | V  |
|              | 235/55R19 | XL        | 105 | W  |
| 19           | 255/50R19 | XL        | 107 | V  |
| 21           | 295/40R21 | XL        | 111 | V  |

# WINTER

**FSR-901**



**FSR-902**



# FSR-901



Good grip on ice and snowy road



Handling



Safety



Passenger car/SUV



- Ice-axe shaped pattern groove design provides excellent grip on snowy conditions.



- The zigzag patterns increase the friction between tires and snowy road, reduce the chance of the car slipping on the snowy road.



- Special round hole design inspired from the bionic gecko's toe, increasing surface adsorption capability between the tire and ice whilst providing excellent traction and braking on hard ice and snowy road conditions.



- Special silica compound & soft tread for excellent traction and braking performance on snowy surfaces.



- 3 wide lugs provide excellent water dispersion performance.

- 3D sipes ensure the pattern blocks to squirm with each other and provide interlocking function, taking into account the tread rigidity.

# FSR-901



# FSR-902



| Rim Diameter | Size      | Load type | LI  | SS | Rim Diameter | Size      | Load type | LI  | SS |
|--------------|-----------|-----------|-----|----|--------------|-----------|-----------|-----|----|
| 14           | 155/65R14 | -         | 75  | T  | 17           | 225/50R17 | XL        | 98  | H  |
|              | 165/60R14 | -         | 75  | T  |              | 205/55R17 | XL        | 95  | H  |
|              | 165/65R14 | -         | 79  | T  |              | 215/55R17 | XL        | 94  | H  |
|              | 165/70R14 | XL        | 85  | T  |              | 225/55R17 | XL        | 101 | H  |
|              | 175/65R14 | XL        | 86  | T  |              | 235/55R17 | XL        | 103 | H  |
|              | 175/70R14 | XL        | 88  | T  |              | 215/60R17 | -         | 96  | H  |
|              | 185/55R14 | -         | 80  | H  |              | 225/60R17 | -         | 99  | H  |
|              | 185/60R14 | XL        | 86  | H  |              | 235/60R17 | -         | 102 | T  |
|              | 185/65R14 | -         | 86  | T  |              | 215/65R17 | -         | 99  | V  |
|              | 185/70R14 | -         | 88  | T  |              | 225/65R17 | -         | 102 | H  |
| 15           | 175/65R15 | XL        | 88  | T  | 18           | 235/65R17 | XL        | 108 | H  |
|              | 185/55R15 | XL        | 86  | H  |              | 245/65R17 | XL        | 111 | T  |
|              | 185/60R15 | XL        | 88  | T  |              | 265/65R17 | XL        | 116 | T  |
|              | 185/65R15 | -         | 88  | H  |              | 225/40R18 | XL        | 92  | V  |
|              | 195/50R15 | -         | 82  | H  |              | 235/40R18 | XL        | 95  | V  |
|              | 195/55R15 | -         | 85  | H  |              | 245/40R18 | XL        | 97  | V  |
|              | 195/60R15 | -         | 88  | H  |              | 255/40R18 | XL        | 99  | H  |
|              | 195/65R15 | -         | 91  | H  |              | 225/45R18 | XL        | 95  | W  |
|              | 205/65R15 | -         | 94  | T  |              | 235/45R18 | XL        | 98  | V  |
|              | 205/70R15 | -         | 96  | T  |              | 245/45R18 | XL        | 100 | V  |
| 16           | 215/65R15 | XL        | 100 | H  |              | 255/45R18 | XL        | 103 | W  |
|              | 215/75R15 | -         | 100 | S  |              | 215/50R18 | -         | 92  | W  |
|              | 195/45R16 | XL        | 84  | H  |              | 225/50R18 | -         | 99  | V  |
|              | 205/45R16 | XL        | 87  | V  |              | 235/50R18 | XL        | 101 | V  |
|              | 195/50R16 | XL        | 88  | V  |              | 215/55R18 | -         | 95  | H  |
|              | 205/50R16 | XL        | 91  | V  |              | 225/55R18 | XL        | 102 | V  |
|              | 195/55R16 | -         | 87  | H  |              | 235/55R18 | XL        | 104 | V  |
|              | 205/55R16 | -         | 91  | H  |              | 255/55R18 | XL        | 109 | V  |
|              | 205/55R16 | XL        | 94  | H  |              | 225/60R18 | -         | 100 | H  |
|              | 215/55R16 | XL        | 97  | H  |              | 235/60R18 | -         | 107 | V  |
| 17           | 225/55R16 | XL        | 99  | V  | 19           | 265/60R18 | XL        | 114 | H  |
|              | 175/60R16 | -         | 82  | H  |              | 285/60R18 | XL        | 116 | H  |
|              | 195/60R16 | -         | 89  | H  |              | 235/65R18 | -         | 110 | H  |
|              | 205/60R16 | -         | 92  | H  |              | 225/35R19 | XL        | 88  | W  |
|              | 205/60R16 | XL        | 96  | H  |              | 235/35R19 | XL        | 91  | W  |
|              | 215/60R16 | XL        | 91  | H  |              | 255/35R19 | XL        | 96  | V  |
|              | 235/60R16 | XL        | 100 | H  |              | 235/40R19 | XL        | 99  | V  |
|              | 215/65R16 | -         | 98  | H  |              | 245/40R19 | XL        | 98  | W  |
|              | 215/70R16 | -         | 100 | T  |              | 255/40R19 | XL        | 104 | V  |
|              | 225/70R16 | -         | 103 | H  |              | 225/45R19 | XL        | 96  | V  |
| 18           | 235/70R16 | -         | 106 | T  |              | 235/45R19 | XL        | 99  | V  |
|              | 245/70R16 | -         | 107 | T  |              | 245/55R19 | XL        | 102 | W  |
|              | 265/70R16 | -         | 112 | T  |              | 255/45R19 | XL        | 104 | V  |
|              | 205/45R17 | XL        | 88  | V  |              | 235/50R19 | XL        | 103 | V  |
|              | 215/45R17 | XL        | 91  | H  |              | 255/50R19 | XL        | 107 | V  |
|              | 225/45R17 | XL        | 94  | V  |              | 225/55R19 | XL        | 103 | V  |
|              | 235/45R17 | XL        | 97  | H  |              | 235/55R19 | XL        | 105 | V  |
|              | 245/45R17 | XL        | 99  | H  |              | 255/55R19 | XL        | 111 | V  |
|              | 205/50R17 | XL        | 93  | V  |              | 275/40R20 | XL        | 106 | W  |
|              | 215/50R17 | -         | 91  | V  |              | 275/45R20 | XL        | 110 | W  |
| 19           |           |           |     |    |              | 295/35R21 | XL        | 107 | V  |



Suitable for Light Truck/Pick-up/Van/Passenger car

- The serrated continuous block design increases the friction between the snowy road and tires, reduces the chance of the car slipping on the snowy road.
- Continuous pattern block design prevents slipping on the snowy road, and offers excellent handling response.
- Special silica compound & soft tread provides excellent performance in low temperature conditions.

- Three wide lugs for excellent water dispersion performance.
- Variant sipes suit for more road conditions.
- 3D sipes ensure the pattern blocks to squirm with each other and provide interlocking function, taking into account the tread rigidity.

| Rim Diameter | Size       | Load type | PR   | LI           | SS   |
|--------------|------------|-----------|------|--------------|------|
| 12           | 145/70R12  | -         | -    | 69           | S    |
|              | 155R12C    | -         | 8PR  | 88/86        | Q    |
| 13           | 155/65R13  | -         | -    | 73           | T    |
|              | 155/70R13  | -         | -    | 75           | T    |
|              | 155/80R13  | -         | -    | 79           | T    |
|              | 155R13C    | -         | 8PR  | 90/88        | Q    |
|              | 165/70R13  | -         | -    | 79           | T    |
|              | 165R13C    | -         | 8PR  | 94/93        | Q    |
| 14           | 175/70R13  | XL        | -    | 86           | T    |
|              | 175/70R14C | -         | 6PR  | 95/93        | Q    |
|              | 175/75R14C | -         | 8PR  | 99/98        | S    |
|              | 185R14C    | -         | 8PR  | 102/100      | Q    |
|              | 195R14C    | -         | 8PR  | 106/104      | Q    |
|              | 185R15C    | -         | 8PR  | 103/102      | R    |
| 15           | 195/70R15C | -         | 8PR  | 104/102      | Q    |
|              | 195R15C    | -         | 8PR  | 106/104      | Q    |
|              | 205/65R15C | -         | 6PR  | 102/100      | T    |
|              | 205/70R15C | -         | 8PR  | 106/104      | R    |
|              | 215/65R15C | -         | 6PR  | 104/102      | T    |
|              | 215/70R15C | -         | 8PR  | 109/107      | R    |
|              | 225/70R15C | -         | 8PR  | 112/110      | Q    |
|              | 185/75R16C | -         | 8PR  | 104/102      | R    |
| 16           | 195/60R16C | -         | 6PR  | 99/97        | T    |
|              | 195/65R16C | -         | 8PR  | 104/102(100) | T    |
|              | 195/75R16C | -         | 8PR  | 107/105      | R    |
|              | 205/65R16C | -         | 8PR  | 107/105(103) | T    |
|              | 205/75R16C | -         | 8PR  | 110/108      | Q    |
|              | 215/60R16C | -         | 6PR  | 103/101      | T    |
|              | 215/65R16C | -         | 8PR  | 109/107(106) | R(T) |
|              | 215/75R16C | -         | 10PR | 116/114      | N    |
|              | 225/65R16C | -         | 8PR  | 112/110      | R    |
|              | 225/75R16C | -         | 10PR | 121/120      | R    |
| 17           | 235/65R16C | -         | 8PR  | 115/113      | R    |
|              | 215/60R17C | -         | 8PR  | 109/107      | T    |
|              | 225/55R17C | -         | 10PR | 109/107      | H    |